

## Uncoated SATIN Papers

**PRO-DESIGN** : exceptionally smooth satin paper with increased whiteness (168 CIE).

Basis weight: 90 – 350 gsm. Size: A4, A3, SRA3, (SRA2 – on request).

**DCP** : exceptionally stiff satin paper with very high whiteness (170 CIE).

Basis weight: 90 – 400 gsm. Size: A4, A3, SRA3.

**DCP Ivory** : ivory-shaded paper, mass-dyed.

Basis weight: 100 – 300 gsm. Size: A4, A3, SRA3.

**ONE Digital** : premium quality satin paper with a subtle white shade (161 CIE).

Basis weight: 90 – 400 gsm. Size: SRA3.

## Uncoated Papers

**digiGO FSC** : smooth pre-print class paper with standard whiteness (146 CIE).

Basis weight: 80 gsm. Size: SRA3.

**DNS Performance Plus PEFC** : economical pre-print class paper with increased whiteness (162 CIE).

Basis weight: 80 – 90 gsm. Size: SRA3.

**DNS PREMIUM FSC** : smooth and stiff Premium class paper with very high whiteness (169 CIE).

Basis weight: 90 – 300 gsm. Size: SRA3.

## Coated Papers

**Magno Plus Digital Silk / Gloss** : paper with a semi-matt or glossy surface, triple-coated.

Basis weight: 115 – 400 gsm (400 gsm for Silk only). Size: SRA3, SRA3+, SRA3++.

**Experia Digi Silk / Gloss FSC** : paper with a semi-matt or glossy surface, triple-coated.

Basis weight: 100 – 350 gsm (90 and 400 gsm on request). Size: SRA3, SRA3+, SRA3++.

**Symbol Freelifa Premium White Satin FSC** : paper with a semi-matt or glossy surface, triple-coated, contains recycled fibers (min. 40%).

Basis weight: 115 – 350 gsm. Size: SRA3, SRA3+ (depending on basis weight).

## Coated Boards

**digiBOX Silk FSC** : cellulose board with a white reverse, one-sided double-coated.  
Basis weight: 240, 270, 300, 330 gsm. Size: SRA3++ (480x330).

**Symbol Card Two Side Premium White Satin FSC** : very white solid bleached sulfate (SBS) board with a white reverse, one-sided double-coated.  
Basis weight: 270, 300, 330 gsm. Size: SRA3+, SRA3++ (482x330) – depending on basis weight.

**Splendorlux 1 Premium White FSC** : board with very high gloss, cast-coated on one side.  
Basis weight: 300 gsm. Size: SRA3.

## SELF-ADHESIVE Papers

**AdHoc Digital DTS Uncoated (Vellum) FSC 70 gsm** : uncoated matt paper, slit or unslit backing, size SRA3. Machine-glazed paper, permanent adhesive.

**AdHoc Digital DTS Coated FSC 80 gsm** : semi-gloss coated paper, slit or unslit backing, size: SRA3 and SRA3++. Basic paper for digital printing, available in two sizes, permanent adhesive.

**AdHoc Digital DTS Cast Coated 80 gsm** : coated paper with very high gloss (cast-coated), slit backing, size SRA3. Permanent adhesive, photographic surface.

**AdHoc Digital DTS Coated Cover FSC 80 gsm** : semi-gloss coated paper, slit backing, size SRA3. Opaque graphite barrier layer, permanent adhesive.

**AdHoc Digital DTS-IDP Coated Matt FSC 90 gsm** : coated matt paper, slit backing, size: SRA3+. Uniform, deep matt, even surface, permanent adhesive.

**AdHoc Splendorgel FSC 160 gsm** : uncoated calendered paper, unslit backing, size B2. Satin paper, exceptional smoothness, high basis weight.

**AdHoc Digital IDP Tintoretto Gesso H+O FSC 95 gsm** : uncoated decorative felt-marked paper, unslit backing, size SRA3+. Subtly textured paper with high opacity.

**AdHoc Digital IDP Arena Rough Ivory FSC 90 gsm** : uncoated decorative paper in an ivory shade, slit backing, size SRA3+. Slightly rough paper with high opacity.

**AdHoc Digital DTS Kraft Brown 70 gsm PERM PLUS** : uncoated ribbed brown paper, slit backing, size SRA3+. Super strong adhesive.

**Eurotak Digital Gloss 80 gsm EXTRA PERM** : semi-gloss coated paper, slit backing, size SRA3. Super strong adhesive.

**SELF-ADHESIVE Films / Foils**

**digilOOK Laser PET Clear Gloss => AdHoc Digital DTS PET Clear Gloss PERM PLUS** : glossy, crystal clear polyester film, permanent adhesive.

Film thickness: 50 mic.. Size: SRA3.

**digilOOK Laser PET White Gloss => AdHoc Digital DTS PET White Gloss PERM PLUS** : glossy, milky white polyester film, permanent adhesive.

Film thickness: 50 mic.. Size: SRA3.

**AdHoc Digital DTS-IDP PET White Matt PERM PLUS** : matt, milky white polyester film, super strong adhesive.

Film thickness: 50 mic.. Size: SRA3, SRA3++.

**AdHoc Digital DTS PET White Matt PERM** : matt, milky white polyester film, permanent adhesive.

Film thickness: 70 mic.. Size: SRA3, SRA3++.

**AdHoc Digital DTS-IDP PE White Matt PERM PLUS** : matt, flexible, self-adhesive polyethylene film, super strong adhesive.

Film thickness: 178 mic.. Size: SRA3, SRA3++.

**AdHoc Digital DTS TCX PP Clear Gloss PERM** : glossy, crystal clear polypropylene film, permanent adhesive.

Film thickness: 60 mic.. Size: SRA3.

**AdHoc Digital DTS TCX PP White Gloss PERM** : glossy, milky white polypropylene film, permanent adhesive.

Film thickness: 60 mic.. Size: SRA3.

**Eurotak Digital PET Clear Gloss** : glossy, crystal clear polyester film, extra strong adhesive.

Scored backing. Film thickness: 51 mic.. Size: SRA3.

**Eurotak Digital PET White Gloss** : glossy, milky white polyester film, extra strong adhesive.

Scored backing. Film thickness: 51 mic.. Size: SRA3, SRA3++.

**Eurotak Digital PET White Matt** : matt, milky white polyester film, extra strong adhesive.

Scored backing. Film thickness: 61 mic.. Size: SRA3.

**EGOtic Laser SA Clear Gloss** : glossy, crystal clear self-adhesive polyester film, permanent adhesive.

Film thickness: 50 mic.. Size: A4, SRA3.

**EGOtic Laser SA White Gloss** : glossy, milky white self-adhesive polyester film, permanent adhesive.

Film thickness: 53 mic.. Size: A4, A3, SRA3.

**EGOtic Laser SA White Matt** : matt, milky white self-adhesive polyester film, permanent adhesive.

Film thickness: 60 mic.. Size: A4.

**EGOtic Laser SA Silver Gloss** : glossy, silver self-adhesive polyester film, permanent adhesive.

Film thickness: 80 mic.. Size: A3.

**Folex CLP Adhesive-P CL** : glossy, crystal clear (CL – clear) polyester film, permanent adhesive.  
Film thickness: 50 mic.. Size: A4.

**Folex CLP Adhesive-P WO** : glossy, milky white (WO – white opaque) polyester film, permanent adhesive.  
Film thickness: 50 mic.. Size: A4, SRA3.

### Specialty CLING Films

**digiLOOK Laser DOT Clear Gloss** : glossy, crystal clear polyester film, dot pattern silicone adhesive (DOT type). Film thickness: 80 mic.. Size: SRA3.

**digiLOOK Laser DOT White Matt** : matt, milky white polyester film, dot pattern silicone adhesive (DOT type). Film thickness: 80 mic.. Size: SRA3.

**digiLOOK Laser CLING Clear Gloss** : glossy, crystal clear polyester film, cling type (removable silicone layer). Film thickness: 80 mic.. Size: SRA3.

**digiLOOK Laser CLING White Matt** : matt, milky white polyester film, cling type (removable silicone layer). Film thickness: 80 mic.. Size: SRA3.

### REGULAR Non-Adhesive Films

**Syntic Digi** : milky white matt polyester film, moisture and tear-resistant.  
Thickness: 110 – 340 mic.. Size: SRA3.

**Folex Folaproof Laserfilm F** : transparent, double-sided matt polyester proofing film, double-sided coated. Thickness: 90, 115 mic.. Size: A4, A3.

**Folex BG-71.1** : glossy, crystal clear polyester film, backed with a paper sheet on the short edge.  
Thickness: 100 mic.. Size: SRA3.

**Folex X-10.0** : glossy, crystal clear polyester presentation film, double-sided coated.  
Thickness: 100 mic.. Size: A4, A3.

**Folex BG-71** : glossy, crystal clear polyester presentation film, double-sided enhanced.  
Thickness: 100 mic.. Size: A4.

**Folex BG-72** : glossy, crystal clear polyester presentation film for double-sided printing.  
Thickness: 125 mic.. Size: A4.

**Folex BG-72 WO** : glossy, milky white polyester film.  
Thickness: 125 mic.. Size: A4.

## SPECIALTY Materials

**digIMAGIC** : semi-gloss paper laminated on the bottom with a magnetic layer.  
Thickness: 330 mic.. Size: SRA3, SRA3++.

**Eurocalco Digital** : carbonless paper for digital printing, white, universal CFB layer.  
Basis weight: 80 gsm. Size: A4, SRA3.

**EnDURO Effect 155 RFID White** : multi-layer structured substrate (paper – aluminum foil – paper) blocking contactless RFID data transmission, tear-resistant, opaque.  
Basis weight: 160 gsm. Size: SRA3.

**EnDURO Effect 140 Water Improved** : hydrophobic multi-layer structured substrate (impregnated paper – PP film – impregnated paper), moisture and tear-resistant.  
Basis weight: 145 gsm. Size: SRA3.

**Cuturon X-treme** : non-woven material (blend of cellulose and synthetic), waterproof, breathable, tear-resistant, designed for printing starting numbers.  
Basis weight: 170 gsm. Size: B1.

## MultiLoft

**Multiloft Sheet** : outer layer (top, bottom) for single-sided printing, the reverse is covered with dry contact adhesive. 12 different surface finishes. Size: SRA3+.

**Multiloft Insert** : inner layer, double-sided covered with dry contact adhesive. 15 different color versions. Size: SRA3+.

## COMPLEMENTARY Materials

**Ritrama RI-Mount DS-Paper** : double-sided adhesive paper, protected by a backing on both sides.  
Basis weight: 60 gsm. Size: B1.

**Ritrama RI-Mount DS-PET Clear** : double-sided adhesive film (sheet adhesive layer), protected by a backing on both sides. Thickness: 12 mic.. Size: B1.